



[Dimension table - RSB Bonded Seal]

[unit : mm]

RSA P/N	Thread DIA. "M"		①	②	③	④	⑤	R	Radial GAP G+0.07	
	INCH	B.S.P							INCH	B.S.P
RSB001	6BA		3.05	3.50	6.35	1.20	0.2/0.38	0.54	0.13	
RSB002	4BA		4.12	5.26	7.26			0.26		
RSB003	2BA		5.21	6.35	8.38			0.26		
RSB004	1/4		6.86	8.00	13.21			0.26		
RSB005	1/4		6.99	9.53	13.34			1.27	0.32	
RSB006	5/16		8.31	9.53	13.34			0.56	0.19	
RSB007	5/16		8.64	10.04	14.22			0.70	0.35	
RSB008	40		11.26	12.45	18.36	2.00	0.60	0.55		
RSB009	7/16		11.69	13.08	19.05		0.70	0.29		
RSB010	9/16		14.86	16.39	22.23		0.76	0.29		
RSB011	5/8		16.51	18.75	25.40		1.12	0.32		
RSB012	11/16		18.16	19.69	25.40	2.30	0.76	0.35		
RSB013	15/16		24.26	26.04	33.27		0.89	0.23		
RSB014	1+1/8		29.33	30.86	36.58		0.76	0.38		
RSB015	1+1/4		32.64	35.69	41.40		3.20	1.52	0.45	
RSB016	1+3/8		35.94	38.99	44.45			1.52	0.51	
RSB017	1+1/2		38.06	42.04	47.75			1.54	0.43	
RSB018	1+3/4		45.34	48.39	57.15			1.52	0.45	
RSB019	2		51.69	54.74	63.50	2.00	0.73	0.42		
RSB020	3/8		10.37	11.84	15.88		0.73	0.42		
RSB021	1/2	1/4	13.74	15.21	20.57		0.52	0.29		
RSB022	60		15.83	17.30	22.23	2.00	0.73	0.30		
RSB023		0.38	17.28	18.75	23.80	2.00			0.31	
RSB024	3/4		19.69	21.21	26.92	2.30	0.25/0.51	0.76	0.32	
RSB025	13/16	1/2	21.54	23.01	28.58	2.50	2.30	0.73	0.45	0.29
RSB026	7/8	5/8	23.49	24.97	31.75	0.74		0.63	0.29	
RSB027	1	3/4	27.05	28.53	34.93	0.74		0.82	0.30	
RSB028	1+1/16		27.82	30.61	38.61	1.40		0.41		
RSB029	1+3/16	7/8	30.81	32.29	38.10	0.74		0.33	0.30	
RSB030	1+5/16	1	33.89	36.88	42.80	3.20		1.50	0.28	0.40
RSB031	1+5/16	1	33.89	36.88	42.80	2.30		1.50	0.28	0.40
RSB032	1+5/8	1+1/4	42.93	45.93	52.38	3.20	1.50	0.82	0.51	
RSB033	1+7/8	1+1/2	48.44	51.39	58.60		1.47	0.40	0.32	

[unit : mm]

RSA P/N	Thread DIA. "M"		①	②	③	④	⑤	R	Radial GAP G+0.07	
	INCH	B.S.P							INCH	B.S.P
RSB034	2+1/8		54.89	58.30	69.85	3.20	0.25/0.51	1.70	0.45	0.57
RSB035	2+1/4		58.04	61.09	70.36			1.52	0.45	
RSB036		2	60.58	63.63	73.03			1.52		0.48
RSB037	2+1/2		64.39	67.44	77.22			1.52	0.45	
RSB038		2+1/4	66.68	69.98	79.50			1.65		0.59
RSB039		2+1/2	76.08	79.38	90.17			1.65		0.45

[unit : mm]

RSA P/N	Thread DIA. "M"	①	②	③	④	⑤	R	Radial GAP G"	
RSB201	3.5	4.10	5.20	7.20	1.00	0.30	0.55	0.30	
RSB202	4	4.50	5.40	7.00			0.45	0.25	
RSB203	5	5.70	6.80	9.00			0.65	0.35	
RSB204	5	5.70	7.40	10.00			0.85		
RSB205	5.5	6.20	7.20	9.20			0.50		
RSB206	6	6.70	8.00	10.00			0.65		
RSB207	6	6.70	8.20	11.00			0.75		
RSB208	6	6.70	8.20	11.00	2.50	0.75	0.30		
RSB209	6.5	7.10	8.80	12.00	0.85	0.30			
RSB210	6.7	7.30	8.60	10.20	0.65	0.25			
RSB211	8	8.50	9.40	13.40	1.00	0.45	0.25		
RSB212	8	8.70	10.00	13.00		0.65	0.35		
RSB213	8	8.70	10.40	14.00		0.85			
RSB214	8	8.70	10.40	16.00		0.60	0.40		
RSB215	8.5	9.30	10.50	13.30	2.00	0.82	0.17		
RSB216	10	10.35	12.00	16.00		1.50	0.40	0.85	0.35
RSB217	10	10.70	12.40	16.00					
RSB218	10	10.70	12.40	18.00	0.65			0.20	
RSB219	11	11.40	12.70	16.30	0.95			0.40	
RSB220	11	11.80	13.70	18.50	1.50	0.40	0.85	0.40	
RSB221	11	11.80	13.50	19.10				0.35	
RSB222	12	12.70	14.40	18.00					
RSB223	12	12.70	14.40	20.00	1.50	0.40	0.85	0.35	
RSB224	13	13.70	15.40	20.00				0.35	
RSB225	13	13.70	15.40	22.00					0.25
RSB226	13.5	14.00	15.70	18.70				0.35	
RSB227	14	14.70	16.40	22.00				0.89	0.50
RSB228	15	16.00	17.78	22.70	0.85	0.35			
RSB229	16	16.70	18.40	24.00					
RSB230	17	17.40	19.20	24.00	0.90	0.20			

[unit : mm]

RSA P/N	Thread DIA. "M"	①	②	③	④	⑤	R	Radial GAPEG"	
RSB231	17.5	18.00	20.10	24.70			1.05	0.25	
RSB232	18	18.70	20.40	26.00	1.50		0.85	0.35	
RSB233	20	20.70	22.50	28.00			0.90		
RSB234	21	21.50	23.30	28.70	2.50		0.90	0.25	
RSB235	22	22.50	24.20	28.00	1.50	0.40			
RSB236	22	22.70	24.40	30.00	2.00		0.85	0.35	
RSB237	22	22.70	24.40	30.00	3.00				
RSB238	24	24.70	26.40	32.00					
RSB239	26	26.70	28.40	35.00	2.00				
RSB240	27	27.20	29.00	36.00				0.90	0.10
RSB241	28	28.70	30.40	37.00				0.85	0.35
RSB242	30	30.00	33.00	39.00				1.00	0.50
RSB243	33	33.70	35.80	42.00	2.00		0.40		0.35
RSB244	33	34.30	36.40	43.00				1.05	0.65
RSB245	36	36.70	38.80	46.00				0.35	
RSB246	39	40.00	41.90	51.00	2.50			0.95	0.50
RSB247	42	42.70	44.40	53.00	3.00		0.85	0.35	
RSB248	48	48.70	50.80	59.00			1.05		
RSB249	51	52.00	54.10	60.00	3.00	0.40		0.50	
RSB250	52	53.30	56.40	64.50	3.00				0.65
RSB251	60	60.70	63.00	73.00			1.15	0.35	
RSB252	68	68.60	72.10	79.50	3.50			1.75	0.30
RSB253	75	76.08	79.10	90.30			1.51	0.54	
RSB254	88	89.09	92.10	101.48	3.20		1.50		
RSB255	125	127.00	132.70	143.67	5.00			1.00	
RSB301	3	3.60	5.00	7.50			0.70	0.30	
RSB302	4	4.60	6.00	9.00	1.00				
RSB303	5	5.60	7.00	10.00					
RSB304	6	6.60	8.00	11.00		0.30			
RSB510	1/8	10.40	12.00	14.70			0.80		
RSB511	1/4	13.85	15.75	18.70					
RSB512	3/8	17.35	19.25	22.70	1.20				
RSB513	1/2	21.65	23.55	26.70					
RSB514	3/4	27.30	29.20	32.50			0.95		
RSB515	1	34.20	36.10	39.50		0.25			
RSB516	1 1/4	42.80	44.70	49.50	2.00				
RSB517	1 1/2	48.70	50.60	55.50					
RSB518	2	60.50	62.40	68.50					
RSB519	1/16	8.30	9.90	12.70	1.20			0.80	
RSB520		27.30	29.20	32.60	2.00				