



[Dimension table - RSB Bonded Seal]

[unit : mm]

RSA P/N	Thread DIA. "M"		①	②	③	④	⑤	R	Radial GAP G+0.07	
	INCH	B.S.P							INCH	B.S.P
RSB001	6BA		3.05	3.50	6.35			0.54	0.13	
RSB002	4BA		4.12	3.50	7.26				0.26	
RSB003	2BA		5.21	3.50	8.38			0.57	0.26	
RSB004	1/4		6.86	3.50	13.21	1.20	0.2/0.38		0.26	
RSB005	1/4		6.99	3.50	13.34			1.27	0.32	
RSB006	5/16		8.31	3.50	13.34			0.56	0.19	
RSB007	5/16		8.64	3.50	14.22			0.70	0.35	
RSB008	40		11.26	3.50	18.36			0.60	0.55	
RSB009	7/16		11.69	3.50	19.05	2.00		0.70	0.29	
RSB010	9/19		14.86	3.50	22.23			0.76	0.29	
RSB011	5/8		16.51	3.50	25.40			1.12	0.32	
RSB012	11/16		18.16	3.50	25.40			0.76	0.35	
RSB013	15/16		24.26	3.50	33.27	2.30		0.89	0.23	
RSB014	1+1/8		29.33	3.50	36.58			0.76	0.38	
RSB015	1+1/4		32.64	3.50	41.40			1.52	0.45	
RSB016	1+3/8		35.94	3.50	44.45			1.52	0.51	
RSB017	1+1/2		38.06	3.50	47.75	3.20	0.25/0.51	1.54	0.43	
RSB018	1+3/4		45.34	3.50	57.15			1.52	0.45	
RSB019	2		51.69	3.50	63.50				0.45	
RSB020	3/8		10.37	3.50	15.88	2.00		0.73	0.42	
RSB021	1/2	1/4	13.74	3.50	20.57				0.52	0.29
RSB022	60		15.83	3.50	22.23	2.00		0.73	0.30	
RSB023		0.38	17.28	3.50	23.80					0.31
RSB024	3/4		19.69	21.21	26.92	2.30	0.25/0.51	0.76	0.32	
RSB025	13/16	1/2	21.54	23.01	28.58	2.50		0.73	0.45	0.29
RSB026	7/8	5/8	23.49	24.97	31.75			0.74	0.63	0.29
RSB027	1	3/4	27.05	28.53	34.93			0.74	0.82	0.30
RSB028	1+1/16		27.82	30.61	38.61	2.30		1.40	0.41	
RSB029	1+3/16	7/8	30.81	32.29	38.10		0.25/0.51	0.74	0.33	0.30
RSB030	1+5/16	1	33.89	36.88	42.80	3.20		1.50	0.28	0.40
RSB031	1+5/16	1	33.89	36.88	42.80	2.30		1.50	0.28	0.40
RSB032	1+5/8	1+1/4	42.93	45.93	52.38			1.50	0.82	0.51
RSB033	1+7/8	1+1/2	48.44	51.39	58.60	3.20		1.47	0.40	0.32

[unit : mm]

RSA P/N	Thread DIA. "M"		①	②	③	④	⑤	R	Radial GAP G+0.07	
	INCH	B.S.P							INCH	B.S.P
RSB034	2+1/8		54.89	58.30	69.85	3.20	0.25/0.51	1.70	0.45	0.57
RSB035	2+1/4		58.04	61.09	70.36			1.52	0.45	
RSB036		2	60.58	63.63	73.03			1.52		0.48
RSB037	2+1/2		64.39	67.44	77.22			1.52	0.45	
RSB038		2+1/4	66.68	69.98	79.50			1.65		0.59
RSB039		2+1/2	76.08	79.38	90.17			1.65		0.45

[unit : mm]

RSA P/N	Thread DIA. "M"		①	②	③	④	⑤	R	Radial GAP G"	
	INCH	B.S.P							INCH	B.S.P
RSB201	3.5		4.10	5.20	7.20	1.00	0.30	0.55	0.30	
RSB202	4		4.50	5.40	7.00			0.45	0.25	
RSB203	5		5.70	6.80	9.00			0.65	0.35	
RSB204	5		5.70	7.40	10.00			0.85		
RSB205	5.5		6.20	7.20	9.20			0.50		
RSB206	6		6.70	8.00	10.00			0.65		
RSB207	6		6.70	8.20	11.00	0.75	0.30			
RSB208	6		6.70	8.20	11.00	2.50		0.75		
RSB209	6.5		7.10	8.80	12.00	1.00	0.85	0.30		
RSB210	6.7		7.30	8.60	10.20		0.65			
RSB211	8		8.50	9.40	13.40	1.00	0.45	0.25		
RSB212	8		8.70	10.00	13.00		0.65	0.35		
RSB213	8		8.70	10.40	14.00		0.85			
RSB214	8		8.70	10.40	16.00					
RSB215	8.5		9.30	10.50	13.30		0.60	0.40		
RSB216	10		10.35	12.00	16.00	2.00	0.82	0.17		
RSB217	10		10.70	12.40	16.00	1.50	0.40	0.85	0.35	
RSB218	10		10.70	12.40	18.00			0.65	0.20	
RSB219	11		11.40	12.70	16.30			0.95	0.40	
RSB220	11		11.80	13.70	18.50				0.40	
RSB221	11		11.80	13.50	19.10	1.50	0.40	0.85	0.35	
RSB222	12		12.70	14.40	18.00					
RSB223	12		12.70	14.40	20.00					
RSB224	13		13.70	15.40	20.00	1.50	0.40		0.35	
RSB225	13		13.70	15.40	22.00			0.85	0.25	
RSB226	13.5		14.00	15.70	18.70				0.35	
RSB227	14		14.70	16.40	22.00			0.89	0.50	
RSB228	15		16.00	17.78	22.70		0.85	0.35		
RSB229	16		16.70	18.40	24.00		0.90	0.20		
RSB230	17		17.40	19.20	24.00					

[unit : mm]

RSA P/N	Thread DIA. "M"	①	②	③	④	⑤	R	Radial GAP \square "	
RSB231	17.5	18.00	20.10	24.70	1.50	0.40	1.05	0.25	
RSB232	18	18.70	20.40	26.00			0.85	0.35	
RSB233	20	20.70	22.50	28.00	0.90				
RSB234	21	21.50	23.30	28.70	2.50		0.90	0.25	
RSB235	22	22.50	24.20	28.00	1.50				
RSB236	22	22.70	24.40	30.00	2.00		0.85	0.35	
RSB237	22	22.70	24.40	30.00	3.00				
RSB238	24	24.70	26.40	32.00	2.00		0.90	0.10	
RSB239	26	26.70	28.40	35.00					
RSB240	27	27.20	29.00	36.00	2.00		0.40	0.85	0.35
RSB241	28	28.70	30.40	37.00		3.00		1.00	0.50
RSB242	30	30.00	33.00	39.00		2.00		1.05	0.35
RSB243	33	33.70	35.80	42.00					0.65
RSB244	33	34.30	36.40	43.00		2.50		0.95	0.35
RSB245	36	36.70	38.80	46.00					0.50
RSB246	39	40.00	41.90	51.00		3.00		0.85	0.35
RSB247	42	42.70	44.40	53.00					
RSB248	48	48.70	50.80	59.00		3.00		0.40	0.50
RSB249	51	52.00	54.10	60.00					1.15
RSB250	52	53.30	56.40	64.50	3.50		1.75		
RSB251	60	60.70	63.00	73.00					1.51
RSB252	68	68.60	72.10	79.50	3.20		1.50		
RSB253	75	76.08	79.10	90.30					5.00
RSB254	88	89.09	92.10	101.48	1.00		0.70		
RSB255	125	127.00	132.70	143.67					0.30
RSB301	3	3.60	5.00	7.50	1.20		0.25		
RSB302	4	4.60	6.00	9.00					
RSB303	5	5.60	7.00	10.00					
RSB304	6	6.60	8.00	11.00					
RSB510	1/8	10.40	12.00	14.70	2.00	0.25	0.80		
RSB511	1/4	13.85	15.75	18.70					
RSB512	3/8	17.35	19.25	22.70					
RSB513	1/2	21.65	23.55	26.70					
RSB514	3/4	27.30	29.20	32.50					
RSB515	1	34.20	36.10	39.50					
RSB516	1 1/4	42.80	44.70	49.50					
RSB517	1 1/2	48.70	50.60	55.50					
RSB518	2	60.50	62.40	68.50					
RSB519	1/16	8.30	9.90	12.70				1.20	0.80
RSB520		27.30	29.20	32.60	2.00				